

Vertical And Horizontal Milling Machine SPUM6436 ????? ?????



Vertical And Horizontal Milling Machine

SPUM6436

????? ?????

Features:

- 1. This machine is with universal milling head, it can swivel 360 degrees.
- 2. The table can swivel left and right side 35 degrees.
- 3. The machine can automatically feed on three axes controlled through one gearbox.
- 4. The ram is movable forward and backward.
- 5. The table can be extended to 1600mm, and X travel is increased to 1300mm simultaneously.
- 6. The machine is equipped with an operation panel which is convenient for the operator.

SPECIFICATIONS

Model	Unit	SPUM6436
Table size	mm	1650x360
T slot	no	5
T Slot Size (Width)	mm	14
Centre distance	mm	95
Max. load of Table	kg	400
swivel of table	degree	±45°
MACHINING RANGE		
X axis table Longitudinal travel(manual/auto)	mm	1300

Y axis table Cross travel (manual/auto)	mm	290/280
Z axis table Vertical travel(manual/auto)	mm	390
MAIN SPINDLE		
Spindle taper		ISO50
Spindle speed /step -- Vertical	rpm	58-1800/12
Spindle speed /step --Horizontal	rpm	38-1310/12
Swivel angle of swivel head	degree	360°
Vertical spindle nose to table surface	mm	168-568
Horizontal spindle axis to table surface	mm	0-390
Horizontal spindle axis to arm bottom	mm	175
Arm travel	mm	500
FEEDS		
X /Y Longitudinal/cross feed	mm / min	22-420(X), 22-393(Y)
Z Vertical feeding rate	mm/min	10-168(Z)
X/Y Longitudinal/cross rapid speed	mm / min	1290(X),1205(Y)
Z Rapid Traverse vertical	mm/min	513(Z)
POWER		
Main motor	kw	4
(X/Y/Z) feed motor	kw	1.1KW
Coolant motor	kw	90W
Other		
Overall dimension	cm	198x202x190
N/W,G/W	kg	2600/2800

Vertical And Horizontal Milling And Drilling Machine

TAB-UM50

????? ???? ? ???? ?????



Vertical And Horizontal Milling And Drilling Machine

TAB-UM50

????? ???? ? ???? ?????

Description TAB-UM50 is a multifunctional drilling and milling machine. The vertical milling, and the horizontal milling. Boring Grinding, and tapping **Features:**

- 1. Automatic table feed in X, Y-AXIS
- 2. Heavy stable iron casting is very precisely made
- 3. Massive cross table with precise grind surface
- 4. Swallowtail guides in all 3 AXES
- 5. Silent operation thanks to grinned gear wheels
- 6. Left and Right speed
- 7. Rotary Head +/- 90 °

SPECIFICATIONS

Model	TAB-UM50
Max. drilling diameter	50 mm
Max. horizontal milling length	100 mm
Max. vertical milling diameter	32 mm
Swivel angle of headstock (end milling) in perpendicular direction	+/- 90 °
Max. boring diameter	120 mm
Spindle taper	ISO 40 or MT4
Spindle travel (end milling)	130mm

Distance between spindle and table	80-480 mm
Table size	1000x240 mm
Table travel	785x300 mm
Spindle feed	0.012; 0.08; 0.25 mm / rev
Motor	1.5 kW
Overall dimensions	1120x1060x2035 mm
Weight	920 kg

header-logo

Vertical And Horizontal Milling
Machine
SPUM2246
????? ?????



Vertical And Horizontal Milling Machine

SPUM2246

????? ?????

Description SP2246 **professional heavy duty Milling Machine** is one of our most economical and durable **heavy-duty milling machines** **Features:**

- 1. Vertical milling head can be moved forward or backward
- 2. Vertical milling head can swivel 90 vertically and 360 horizontally.
- 3. Adjustable stops on table
- 4. Manual quill feed

SPECIFICATIONS

Model	SPUM2246
Spindle taper	ISO40
Distance from spindle to table	200~650mm
Spindle speeds	(11 steps) 45~1660r.p.m(Vertical spindle) (12 steps)48~1560r.p.m(Horizontal Spindle)
Table size	1370×320mm
Table travel(horizontal/cross)	1000/380mm
Feeding range of longitudinal cross travel	22~430mm/min
Feed Motor	0.55kw
Max. weight of workpiece	400kg
T-slot no. /width/distance	3/14mm/70mm
Distance from vertical spindle center to surface of column	200-760mm

Distance from horizontal spindle center to table surface	20mm~470mm
Elevating travel of table	450mm
Main motor	3 KW
Cooling motor	0.09kw
Overall Dimension	2020×1710×1994mm
Elevating motor	0.75kw
Net weight	2000kg

header-logo

Vertical And Horizontal Milling
Machine
SPUM2245
????? ?????



Vertical And Horizontal Milling Machine

SPUM2245

????? ?????

Description SPUM2245 **professional designed manual universal Milling Machine** is one of our most economical and durable **manual metal universal milling machine**. **Features:**

- 1. Vertical and Horizontal Boring and Milling Machine.
- 2. Sloting head attachment included.
- 3. Easy to operate.
- 4. CE ISO Certificate.
- 5. High Quality.
- 6. X-axis mechanical feed.
- 7. The vertical milling head rotates 45 °for the right side and left side.
- 8. The working table rotates 45 °for the right side and left side.
- 9. A powerful Motor will provide enough power for the milling machine.

SPECIFICATIONS

Mode	SPUM2245
Spindle taper	ISO40
Distance from spindle to table	100~480mm
Spindle speeds	(12 steps) 40~1300r.p.m
Table size	1200×280mm
Table travel(horizontal/cross)	680/300
Feeding range of longitudinal cross travel	22~430mm/min
X-axis rapid feed speed	430mm/min

Max. weight of workpiece	300kg
T-slot no. /width/distance	3/14mm/70mm
Main motor	1.5 KW
X-Axis driving motor	370W
Overall Dimension	1520×1330×2220mm
Packing size	1750×1650×2250mm
Net weight	1750kg