

Pneumatic Brake Shoe Riveting
Press Machine
TAB-8001
???? ?????? ???????
??????????



Pneumatic Brake Shoe Riveting Press Machine

TAB-8001

???? ?????? ???????? ??????????

Description It uses compressed air as a power source (air pressure is adjustable) It is used for riveting rivets of all kinds of brake shoes\brake disc\brake drum\brake lining \ brake pads **Features:**

- 1. It uses an air source; it is safe to operate
- 2. It is suitable for heavy-duty truck brake linings
- 3. Pressure can be adjusted according to the size of the rivets
- 4. With oil and water separator
- 5. With grease filling holes
- 6. The pedal room is big
- 7. With a cabinet for accessories

SPECIFICATIONS

Model no	TAB-8001
Material	Metal plate
Painting	High-quality paint
Color	Yellow
Max rivet force	60KN(6T)
Working air pressure	0.5-0.8Mpa (Adjustable)
Suitable rivet diameter	10mm
Stroke of the riveter	40mm
Height adjust distance of the shoe iron bracket	20mm
Packing sizes	N.W: 69KG

G.W: 101KG

580×540×1440mm

header-logo

Pneumatic Brake Shoe Riveting
Press Machine
SP 8001

???? ?????? ???????
?????????



Pneumatic Brake Shoe Riveting Press Machine SP 8001

???? ?????? ???????? ?????????

Description It uses compressed air as a power source (air pressure is adjustable) It is used for riveting rivets of all kinds of brake shoes\brake disc\brake drum\brake lining \ brake pads **Features:**

- 1. It uses an air source; it is safe to operate
- 2. It is suitable for heavy-duty truck brake linings
- 3. Pressure can be adjusted according to the size of the rivets
- 4. With oil and water separator
- 5. With grease filling holes
- 6. The pedal room is big
- 7. With a cabinet for accessories

SPECIFICATIONS

Model no	SP-8001
Material	Metal plate
Painting	High-quality paint
Color	Blue
Max rivet force	60KN(6T)
Working air pressure	0.5-0.8Mpa (Adjustable)
Suitable rivet diameter	10mm
Stroke of the riveter	40mm
Height adjust distance of the shoe iron bracket	20mm
Packing sizes	N.W: 69KG

G.W: 101KG
580×540×1440mm

