

Vertical And Horizontal Milling And Drilling Machine TAB-UM50 ????? ???? ? ???? ?????



Image not found or type unknown

Vertical And Horizontal Milling And Drilling Machine

TAB-UM50

????? ???? ? ???? ?????

Description TAB-UM50 is a multifunctional drilling and milling machine. The vertical milling, and the horizontal milling. Boring Grinding, and tapping **Features:**

- 1. Automatic table feed in X, Y-AXIS
- 2. Heavy stable iron casting is very precisely made
- 3. Massive cross table with precise grind surface
- 4. Swallowtail guides in all 3 AXES
- 5. Silent operation thanks to grinned gear wheels
- 6. Left and Right speed
- 7. Rotary Head +/- 90 °

SPECIFICATIONS

Model	TAB-UM50
Max. drilling diameter	50 mm
Max. horizontal milling length	100 mm
Max. vertical milling diameter	32 mm
Swivel angle of headstock (end milling) in perpendicular direction	+/- 90 °
Max. boring diameter	120 mm
Spindle taper	ISO 40 or MT4
Spindle travel (end milling)	130mm



Distance between spindle and table	80-480 mm
Table size	1000x240 mm
Table travel	785x300 mm
Spindle feed	0.012; 0.08; 0.25 mm / rev
Motor	1.5 kW
Overall dimensions	1120x1060x2035 mm
Weight	920 kg

