

Mechanical Metal Sheet Shearing Machine 1mmx1500mm ??? ??? ????



Mechanical Metal Sheet Shearing Machine

1mmx1500mm

??? ??? ????

Description The shearing machine adopts the sliding guide rail, tension spring using sliding stationary, reducing the operating force by two-thirds, the shearing and machine can be equipped with a pressure loading device, high shearing quality, and lightweight, mobile convenience features. It is widely used in the sheet metal industry human cut material, the machine tool made of high alloy tool steel, edge durability.

Features:

- 1. The Manual shear is with a fully welded steel structure and high strength.
- 2. Strong cutting capability, and reduction of labor intensity.
- 3. Foot pedal can extend and shorten freely.
- 4. The height of the foot pedal is low, easy operation.
- 5. Used for mild steel, aluminum copper, brass, zinc, plastic, and leads.
- 6. High carbon and chrome steel blade.

SPECIFICATIONS

Type		Unit	1×1500
Shear plate thickness		mm	1
Shear plate width		mm	1500
shear plane angle		°	1°30'
stroke times		times/min	30
Dimension	L	mm	1800
	W	mm	1250
	H	mm	1100

Weight	KG	420
--------	----	-----

header-logo

**Mechanical Metal Sheet
Shearing Machine
1.5mmx1050mm
??? ??? ????**



Mechanical Metal Sheet Shearing Machine

1.5mmx1050mm

??? ??? ????

Description The shearing machine adopts the sliding guide rail, and tension spring using sliding stationary, reducing the operating force by two-thirds, the shearing can be equipped with a pressure loading device, high shearing quality, and lightweight, mobile convenience features. It is widely used in the sheet metal industry human cut material, the machine tool made of high alloy tool steel, edge durability. **Feature**

1. The Manual shear is with a fully welded steel structure and high strength.

2. Strong cutting capability, and reduction of labor intensity.

3. Used for mild steel, aluminum copper, brass, zinc, plastic, and leads.

4. High carbon and chrome steel blade.
- Used for mild steel, aluminum copper, brass zinc plastic, leads High carbon, and chrome steel blade.

SPECIFICATIONS

Model	1.5×1050
Max.shearing thickness(mm)	1.5
Max.shearing width(mm)	1050
Back gauge range (mm)	0-300
Packing size(cm)	158×76×120
N.W./G.W. (kg)	378/438

Mechanical Metal Sheet Shearing Machine 1.5mmx1500mm ??? ??? ????



Mechanical Metal Sheet Shearing Machine

1.5mmx1500mm

??? ??? ????

Description The shearing machine adopts the sliding guide rail, and tension spring using sliding stationary, reducing the operating force by two-thirds, the shearing can be equipped with a pressure loading device, high shearing quality, and lightweight, mobile convenience features. It is widely used in the sheet metal industry human cut material, the machine tool made of high alloy tool steel, edge durability. **Features:**


- 1. The Manual shear is with a fully welded steel structure and high strength.
- 2. Strong cutting capability, and reduction of labor intensity.
- 3. The foot pedal height is low, making it easy operation.
- 4. High carbon and chrome steel blade.

Used for mild steel, aluminum copper, brass zinc plastic, leads High carbon, and chrome steel blade.

SPECIFICATIONS

Model		Unit	1.5mmx1500mm
Shear plate thickness		mm	1.5
Shear plate width		mm	1500
shear plane angle		°	1°30'
stroke times		times/min	30
Dimension	L	mm	1850
	W	mm	1250
	H	mm	1100
Weight		KG	450

**Mechanical Metal Sheet
Shearing machine
1.25mmx2000mm
??? ??? ????**



Mechanical Metal Sheet Shearing machine

1.25mmx2000mm

???

Description The shearing machine adopts the sliding guide rail, tension spring using sliding stationary, reducing the operating force by two-thirds, the shearing and machine can be equipped with a pressure loading device, high shearing quality, and lightweight, mobile convenience features. It is widely used in the sheet metal industry human cut material, the machine tool made of high alloy tool steel, edge durability.

Features:

- 1. The Manual shear is with a fully welded steel structure and high strength.
- 2. Strong cutting capability, and reduction of labor intensity.
- 3. The height of the foot pedal is low, easy operation.
- 4. Used for mild steel, aluminum copper, brass, zinc, plastic, and leads.
- 5. High carbon and chrome steel blade.

SPECIFICATIONS

Model	Max thickness of Plate(mm)	Max width of Plate(mm)	Back gauge range	G. weight/N. weight(kg)	Overall Dimension (mm)
1.25x2000	1.25	2000	0-700	600/511	2390 x 600 x 960