

Hydraulic Puller  
5TON



# Hydraulic Puller

## 5TON

**Product Description** This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more. **Functions:**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry.

### SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
5T	5TON	200mm	140mm	50mm	45mm	6Kg

header-logo

# Hydraulic Puller

## 10TON



# Hydraulic Puller

## 10TON

**Description**

This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more.

**Features :**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry.

## SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
10T	10TON	250mm	160mm	50mm	60mm	10Kg

header-logo

# Hydraulic Puller

## 15TON



# Hydraulic Puller 15TON

**Description**

This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more.

**Features:**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry.

## SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
15T	15TON	300mm	180mm	50mm	60mm	11KG

header-logo

# Hydraulic Puller 20TON



# Hydraulic Puller 20TON

**Description**

This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more.

**Features:**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry.

## SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
20T	20ToN	350mm	200mm	60mm	73mm	16KG

header-logo

# Hydraulic Puller 30TON





# Hydraulic Puller

## 30TON

**Description**

This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more.

**Features:**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry. Durable Material Adjustable Jaws Bidirectional Operation Humanized Design

## SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
30T	30TON	400mm	250mm	60mm	88mm	24KG

header-logo

# Hydraulic Puller

## 50TON



# Hydraulic Puller

## 50TON

**Description**

This hydraulic puller is made of premium steel with a different capacity for outstanding performance. You can horizontally or vertically operate the puller with two or three jaws for pulling hubs, flanges, gears, bearings, and many more.

**Features:**

- 1. It's applied in car maintenance factories, machine shops, and repair shops
- 2. The claw is made of hammered steel and zinged. The steel drum is made of seamless pipe. Compact conformation, lightweight, small body, easy to carry.

### SPECIFICATIONS

Item No	output	Spread	Reach	Alex Travel	Thread Diameter	Weight
50T	50TON	500mm	400mm	60mm	110mm	38Kg

header-logo

3 Jaw Pullers



# 3 Jaw Pullers

**Description:**  
3 Jaw Puller uses for Auto Gear Remover Pulling Extractor Tool with Reversible Legs Heat Treated Drop Forged Steel Reversible Jaws for Inside And Outside Pull This puller would grace any mechanics toolbox Ideal For removing Gears Ideal for removing gears, sprockets, bearings, pulleys, and much more.

## SPECIFICATIONS

3 Jaw Pullers
Working range
350mm
300mm
250mm
200mm
150mm

header-logo

# 2 Jaw Pullers



## 2 Jaw Pullers

**Description:**

Remove gears, pulleys, and flywheel parts with the 2 Jaw Gear Puller Set Pulley Removal Tool; Wheel bearing puller 1-pack makes removal simple and damage-free for your vehicles. All sizes have double-ended, adjustable, reversible legs and can be used for internal and external applications

### SPECIFICATIONS

2 Jaw Pullers
Working range
300mm
250mm
200mm
150mm

