

# Light Lathe Machine SPL300 ????? ??????




Image not found or type unknown



# Light Lathe Machine SPL300

????? ??????

**Description** SPL300 **Light lathe** this **manual lathe machine** is with a swing of 300mm for light industrial, and the motor power is 1.5kw powerful. **Features**

1. Hardened and ground bed ways engineered from high-grade castings. 2. Removable gap is provided for larger diameter work and easy operating gear box can be various feeds and thread cutting. 3. 8 speeds all geared headstock. 4. Cross and longitudinal interlocking feed, enough safety 5. All machines have to pass the checklist of the machine precision before shipment 6. Including switch for test running 7. There is an extra safety switch that shuts down the machine automatically for changing the belt or gear for threading cutting. 8. Jog button for easy gear engagement and inching spindle. 9. Carriage rapid feed is available.

## SPECIFICATIONS

specifications	Light Lathe Machine SPL300
Max. Swing over bed	300mm
Max. Swing over cross slide	180 mm
Max. Swing over gap	430mm
Distance between centers	1000mm
Spindle bore diameter	38mm
Taper of spindle bore	MT.5
Range of spindle Speed	65~1400 (65-1810) rpm
Range of Longitudinal feeds	0.079~1.291mm/rev
Range of cross feeds	0.017~0.276 mm/rev
Range of Metric threads	0.4~7 mm



Range of inch threads	4-60TPI
Max. Travel of tailstock quill	100mm
Taper of tailstock quill bore	MT.3
Power of main drive motor	1.5kW
Packing size	1940x750x1400mm
Net weight	620 kg
Gross weight	670 kg

---

