




# Light Lathe Machine SPL356

????? ??????



+966 55 550 7472

+966 12 595 4446

AL TABSH MACHINE TOOLS

RIGHTS RESERVED TO AL TABSH COMPANY 2022-2023

WWW.ALTABSH.COM | INFO@ALTABSH.COM

LOCATION: AL-JUMUM INDUSTRIAL AREA, AL-JUMUM, WESTERN REGION,  
KINGDOM OF SAUDI ARABIA

@altabsh\_machine

@altabshmachinetools

@altabsh\_machine\_tools

altabsh machine tools

# Light Lathe Machine

## SPL356

????? ??????

**Description** SPL356 **Light lathe** this **lathe machine** is with a swing of 356mm for light industrial, and the motor power is 1.5kw powerful. The foot brake is a rapid braking type. **Features:**

1. Hardened and ground bed ways engineered from high-grade castings.
2. Removable gap is provided for larger diameter work and easy operating gear box can be various feeds and thread cutting.
3. 8 speeds all geared headstock.
4. Cross and longitudinal interlocking feed, enough safety
5. All machines pass the checklist of machine precision before shipment
6. Including switch for test running
7. There is an extra safety switch that shuts down the machine automatically for changing the belt or gear for threading cutting.
8. Jog button for easy gear engagement and inching spindle.

## SPECIFICATIONS

model	SPL356
Max. Swing over bed	356mm
Max swing over cross slide	210mm
Max. Swing over gap	508 mm
Effective length of gap	180mm
Distance between centers	1500mm
Width of bed	260mm
Spindle bore	52mm



+966 55 550 7472

+966 12 595 4446

AL TABSH MACHINE TOOLS

RIGHTS RESERVED TO AL TABSH COMPANY 2022-2023

WWW.AL TABSH.COM | INFO@AL TABSH.COM

LOCATION: AL-JUMUM INDUSTRIAL AREA, AL-JUMUM, WESTERN REGION,  
KINGDOM OF SAUDI ARABIA

Spindle nose	ISO- D4
Spindle taper	MT5
spindle speed	(12 steps) 50-2000rpm
Range of longitudinal feed	37kinds 0.043-0.653mm/rev
Range of cross feed	37kinds 0.024-0.359mm/rev
Range of Metric thread	37kinds 0.4-7mm/rev
Range of Imperial thread	28kinds 4-56inch
Dia. of main screw	22mm
Pitch of main screw	4mm or 8T.P.I
Dia. of tailstock sleeve	45mm
Taper of tailstock sleeve	MT3
Max. travel of tailstock	120mm
Main driver power	1.5 kW
Coolant pump motor	40W
Package size(L*W*H)	190x75x150cm
Weight(N.W/G.W)	1350/1650kg



+966 55 550 7472

+966 12 595 4446

AL TABSH MACHINE TOOLS

RIGHTS RESERVED TO AL TABSH COMPANY 2022-2023

WWW.AL TABSH.COM | INFO@AL TABSH.COM

LOCATION: AL-JUMUM INDUSTRIAL AREA, AL-JUMUM, WESTERN REGION,  
KINGDOM OF SAUDI ARABIA