

Drill Press Machine SP5216C-II ???? ???



Image not found or type unknown



Drill Press Machine

SP5216C-II

???? ???

Description SP5216C-II **drill press** belongs to one of our most economical **drill press** **Features:** 1. Very good quality 2. Fast-opened or locked pulley cover; 3. Variable speed system-pagoda pulley; 4. Three-spoke feed handle and external depth stop; 5. Control panel for easy operation; 6. Continuous-duty motor; 7. Chuck guard for safety; 8. Rack pinion for accurate height adjustments; 10. Swivel knob; 11. Study cast iron base.

SPECIFICATIONS

| | |
|--|-------------------------|
| Model | SP5216C-II |
| Drilling capacity | Ø16mm (5/8") |
| Motor power | 375/450/550W |
| Chuck Capacity | 3-16mm |
| Spindle stroke | 85mm |
| Class Of Speed | 16 |
| Speed 60Hz | 180~2770/220~3320 R.P.M |
| Spindle taper | MT2 |
| Auto-feeding step of worktable | 180mm |
| Max. distance from spindle end to surface of table | 685mm |
| Max. distance from spindle end to surface of base | 1175mm |
| Swing | 360mm |
| Table size | 290×290mm |
| Base Size | 460×270mm |



| | |
|-----------------|---------|
| Column Diameter | Ø72mm |
| Height | 1600mm |
| N.W./G.W. | 66/70kg |

