


Mini Lathe Machine BLX180 ????? ?????? ????? ???



Mini Lathe Machine

BLX180

????? ?????? ???? ???

Description

- Metalworking mini lathe is designed to perform various types of processing work.
- The machine may be turning operations.
- The machine can be used in such fields as microfabrication precision parts, sample processing, modeling work, school workshops, and the instrument industry.
- The distance between the centers is 310mm, swing over bed is 180mm
- Induction hardening bed
- Activity doll with a handle lock.
- Manufacturers of new machines and accessories.

Features

1. 2 spindle speed in the low range 100-1100rpm and high range 100-2500rpm
2. Powered by a 400w DC variable speed-controlled motor
3. Included a full set of change gears for metric threads cutting
4. Full metal gear hardened and ground
5. Metric calibration
6. Automatic longitudinal feed

SPECIFICATIONS

Model	BLX180
Swing over bed	180mm
Swing carriage	110mm



Distance between centers	310mm
Spindle taper	MT3
Spindle bore	20mm
Spindle speed range (Low)	100 - 1100 rpm
Spindle speed range (High)	100 - 2500 rpm
Threading range	Metric 0.4—2.0mm
Tailstock taper	MT2
Tailstock spindle travel	40mm
DC power motor	220v/60HZ; Amps 4A; 400W
Size of machine	700×280×280mm
Approx. shipping weight	45kg
Packing size	750×300×320mm

