



## 

**Description Sumore Mini Lathe SP2102** has all basic characteristics compared to normal larger gearhead lathes, it has unique advantages, such as smaller size, lighter weight, lower noise, and so on. Its relatively simpler structure also remains in full rigid and high-strength hardened steel base construction. Furthermore, full-scale accessories are provided for each Sumore Lathe still be able to carry on turning, drilling, boring, knurling, and threads processes, which also means it can be widely introduced into small metal/nonmetal workpieces machining during family metal work, technical school education or scientific facilities research.

## **Features**

- 1. Safety Switch
- 2. Variable speed
- 3. Four-position turret post
- 4. Complete set of changing gear
- 5. High Accurate

## **SPECIFICATIONS**

Model	SP2102
Distance between centers	350mm
Swing over bed	180mm
Swing over cross slide	110mm
Spindle taper	MT3
Tailstock taper	MT2
Chuck diameter	100mm



Spindle bore	20mm
Cross slide travel	65mm
Tool slide travel	35mm
Range of metric threads	0.5-2.5mm
Range of imperial threads	12-52 TPI
Spindle accuracy	0.01mm
Spindle speed	50-2500/100-2500 RPM
Power of motor	550W
Voltage / Frequency	220V/60Hz
Net weight	40Kg
Gross weight	45Kg
Packing size	810×310×320mm