Mechanical Eccentric Press Machine TAB-ECP16 ???? ?????? ???????





Mechanical Eccentric Press Machine TAB-ECP16 ???????????????

Description TAB-ECP16 eccentric press is a suitable open type of crank press featuring a left and right open type machine body (i.e., a C-shaped machine body). Its steel plate welded body has a high shockabsorbing performance. Its novel overall design gives the machine an elegant appearance. Its throat has a certain depth. The compact structure makes the use convenient and operation safe. The punch press is equipped with a turn-key rigid clutch, a cam band brake, and a press-down type safety device. Its working table is open on three sides, so the mold loading and unloading, and operation are convenient. The punch press is widely used because it provides good conditions for mechanization and automation. And as the main equipment for plate punching production, the punch press can be used for punching holes, blanking, trimming, bending, shallow stretching, and forming.

SPECIFICATIONS

Model		Unit	TAB-ECP16
Nominal Pressure		kn	160
Strokes per Minute		Spm	110
Max.Die Height		mm	190
Die Height Adjustment		mm	40
Throat Depth		mm	160
Bolster Surface	Front to Rear	mm	280
	Left to Right	mm	450
Blanking hole		mm	100
Distance between Uprights		mm	160
Thickness of Bolster		mm	60



Inclinable Angle		degree	40
Motor Power		kw	1.5
Overall Dimension	F.B.	mm	800
	L.R.	mm	670
	Height	mm	1700

