


Mechanical Eccentric Press Machine TAB-ECP25 ???? ?????? ??????????



Mechanical Eccentric Press Machine

TAB-ECP25

???? ?????? ??????????

Description TAB-ECP25 eccentric press is a suitable open type of crank press featuring a left and right open type machine body (i.e., a C-shaped machine body). Its steel plate welded body has a high shock-absorbing performance. Its novel overall design gives the machine an elegant appearance. Its throat has a certain depth. The compact structure makes the use convenient and operation safe. The punch press is equipped with a turn-key rigid clutch, a cam band brake, and a press-down type safety device. Its working table is open on three sides, so the mold loading and unloading, and operation are convenient. The punch press is widely used because it provides good conditions for mechanization and automation. And as the main equipment for plate punching production, the punch press can be used for punching holes, blanking, trimming, bending, shallow stretching, and forming.

SPECIFICATIONS

Model	Unit	TAB-ECP25
Nominal Pressure	kn	250
Travel of slip block	mm	70
Frequency of travel	Frequency/minute	40
Enclosed height	mm	70
Maximum adjustment of enclosed height	mm	60
Distance from center of slip block to press body	mm	180
Size of shank holes diameter	mm	40



Bolster Surface	Front to Rear	mm	520
	Left to Right	mm	330
Size of shank holes depth	mm		60
Distance between Uprights	mm		160
Thickness of plate of workbench	mm		170
Motor Power	kw		2.2
Overall Dimension	F.B.	mm	910
L.R.	mm		700
Height	mm		1800

