

Mechanical Eccentric Press Machine

TAB-ECP40

???? ?????? ??????????



ش
معدات الصناعية
TABS
Machine Tools

Image not found or type unknown



Mechanical Eccentric Press Machine

TAB-ECP40

???? ?????? ??????????

Description TAB-ECP40 eccentric press is a suitable open type of crank press featuring a left and right open type machine body (i.e., a C-shaped machine body). Its steel plate welded body has a high shock-absorbing performance. Its novel overall design gives the machine an elegant appearance. Its throat has a certain depth. The compact structure makes the use convenient and operation safe. The punch press is equipped with a turn-key rigid clutch, a cam band brake, and a press-down type safety device. Its working table is open on three sides, so the mold loading and unloading, and operation are convenient. The punch press is widely used because it provides good conditions for mechanization and automation. And as the main equipment for plate punching production, the punch press can be used for punching holes, blanking, trimming, bending, shallow stretching, and forming.

SPECIFICATIONS

Model	Unit	TAB-ECP40	
Nominal Pressure	kn	400	
Travel of slip block	mm	100	
Frequency of travel	Frequency/minute	50	
Enclosed height	mm	70	
Maximum adjustment of enclosed height	mm	60	
Distance from center of slip block to press body	mm	230	
Size of shank holes diameter	mm	50	
Bolster Surface	Front to Rear	mm	410
	Left to Right	mm	640
Size of shank holes depth	mm	70	



Distance between columns	mm	320	
Thickness of plate of workbench	mm	80	
Mold Height	mm	230	
Maximum tilt angle of press body	degree	15	
Motor Power	kw	3	
Overall Dimension	F.B.	mm	1400
	L.R.	mm	1200
	Height	mm	2450

