

Hydraulic Punching Machine TAB-HPU45 ??? ????????



Image not found or type unknown



Hydraulic Punching Machine

TAB-HPU45

??? ??????????

Description Adopt Hydraulic drive, easy-to-finish punching plate, channel, angle, I-beam, and other metal materials. With different stamping dies to achieve different functions, complete the short stroke of stamping parts. The machine adopts two operating cylinders, divided working into two regions, working alone, linked simultaneously, or working independently can be chosen freely. The machine runs smoothly, punching and stamping without vibration noise, it is the ideal stamping machinery. **Features:**

1. An imported solenoid valve effectively guarantees the stability of the machine running and reduces the failure rate to a minimum.
2. The double valve structure, built-in two-way operation of the system, with imported double gear pump, supplied more choices for workers, two stations working individually or simultaneously at the same time.

SPECIFICATIONS

| Modeel | Unit | TAB-HPU45 |
|------------------------|-------------------|------------|
| Overall dimensions | cm | 124x85x175 |
| Net weight | kg | 1200 |
| Max. punching pressure | Mpa | 20 |
| Max. punching capacity | t | 45 |
| Material strength | N/mm ² | =< 450 |
| Max. stroke | mm | 80 |
| No. of stroke | times/min | 10-20 |
| Throat depth | mm | 300 |
| Punching depth | mm | 12 |



| | | |
|---------------------------------|----|-------|
| Max. punching diameter | mm | 25 |
| Main motor power | Kw | 5.5 |
| Accuracy: positioning deviation | mm | < 0.1 |
| Accuracy: shearing deviation | mm | < 0.2 |
| Working noise | dB | < 85 |

